

# SHIMMER TUB & TILE

## Safety Data Sheet 1307

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/23/2013

Revision date: 07/06/2016

Supersedes: 03/17/2014



### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
Product name : SHIMMER TUB & TILE  
Product code : SHI

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Industrial and Institutional Tub & Tile Cleaner

#### 1.3. Details of the supplier of the safety data sheet

Sky Blue Industries, Inc.  
760 W. Exchange Road  
Ogden, Utah 84401 - USA  
T (800) 998-2808  
[www.skyblueindustries.com](http://www.skyblueindustries.com)

#### 1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS-US classification

Met. Corr. 1 H290  
Skin Corr. 1B H314

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label elements

##### GHS-US labelling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) :

**Danger**

Hazard statements (GHS-US) :

H290 - May be corrosive to metals  
H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US)

Prevention

: P234 - Keep only in original container  
P260 - Do not breathe dust, fume, gas, mist, spray, vapours  
P264 - Wash hands and exposed skin thoroughly after handling  
P280 - Wear protective gloves, protective clothing, eye protection, face protection

Response

: P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P310 - Immediately call a POISON CENTER, a doctor  
P321 - Specific treatment (see SECTION 4 on this label)  
P363 - Wash contaminated clothing before reuse  
P390 - Absorb spillage to prevent material damage

Storage

: P405 - Store locked up  
P406 - Store in corrosive resistant container with a resistant inner liner

Disposal

: P501 - Dispose of contents/container in accordance with local/state/federal regulations

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

#### 3.2. Mixture

Name	Product identifier	%	GHS-US classification
Phosphoric acid	(CAS No) 7664-38-2	10 - 20	Met. Corr. 1, H290 Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
2-butoxyethanol	(CAS No) 111-76-2	5 - 10	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Skin Irrit. 2, H315 Eye Irrit. 2B, H320
Citric acid	(CAS No) 77-92-9	3 - 5	Eye Irrit. 2A, H319

Full text of hazard classes and H-statements : see section 16

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

- First-aid measures general : Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries after skin contact : Burns.
- Symptoms/injuries after eye contact : Serious damage to eyes.
- Symptoms/injuries after ingestion : Burns.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

- Suitable extinguishing media : All extinguishing media allowed. Adapt extinguishing media to the environment.

#### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : No fire hazard.
- Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

#### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapours. Use personal protective equipment (PPE).

##### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Avoid release to the environment. See Section 12 for additional Ecological information.

#### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Neutralize spill with quicklime or soda ash. Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water.
- Other information : Dispose of contents/container in accordance with local/state/federal regulations.

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust, fume, gas, mist, spray, vapours. Wear personal protective equipment. Do not handle until all safety precautions have been read and understood. Clean contaminated clothing.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
- Incompatible products : Chlorine. Chlorine bleach. Strong bases. Strong oxidizing agents. Strong reducing agents. Reactive metals.
- Incompatible materials : Metals.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

2-butoxyethanol (111-76-2)		
ACGIH	ACGIH TWA (ppm)	20 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	240 mg/m <sup>3</sup>
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
Phosphoric acid (7664-38-2)		
ACGIH	ACGIH TWA (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>
ACGIH	ACGIH STEL (mg/m <sup>3</sup> )	3 mg/m <sup>3</sup>
ACGIH	Remark (ACGIH)	URT, eye, & skin irr
OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1 mg/m <sup>3</sup>

### 8.2. Exposure controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Hand protection : Protective gloves.
- Eye protection : Chemical goggles or safety glasses.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.
- Environmental exposure controls : Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Colour : No data available
- Odour : Clean detergent
- Odour threshold : No data available
- pH : < 2
- Melting point : Not applicable
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Relative evaporation rate (butylacetate=1) : No data available
- Flammability (solid, gas) : Not applicable.
- Vapour pressure : No data available
- Relative vapour density at 20 °C : No data available

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Relative density	: 1.07
Density	: 8.92 lb/gal
Solubility	: Soluble in water.
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

### 9.2. Other information

VOC content	: 8.4 %
-------------	---------

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

Chlorine. Chlorine bleach. Strong bases. Strong oxidizing agents. Strong reducing agents. Reactive metals.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	: Not Classified
----------------	------------------

2-butoxyethanol (111-76-2)	
LD50 oral rat	1746 mg/kg bodyweight (Rat; Equivalent or similar to OECD 401; Experimental value)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
LD50 dermal rabbit	435 mg/kg bodyweight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402)
LC50 inhalation rat (mg/l)	2.17 mg/l/4h (Rat; Experimental value; 2.35 mg/l/4h; Rat; Experimental value)
LC50 inhalation rat (ppm)	450-486, Rat; Weight of evidence
ATE US (oral)	1746 mg/kg bodyweight
ATE US (dermal)	435 mg/kg bodyweight
ATE US (vapours)	2.17 mg/l/4h
ATE US (dust,mist)	2.17 mg/l/4h
Phosphoric acid (7664-38-2)	
LD50 oral rat	1530 mg/kg (85 % aqueous solution; Rat; Equivalent or similar to OECD 423; Literature study; 2600 mg/kg bodyweight; 80 % aqueous solution; Rat; Experimental value; 3500 mg/kg bodyweight; 75 % aqueous solution; Rat; Experimental value; 4200 mg/kg bodyweight; Rat; Experimental value; 4400 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	2740 mg/kg bodyweight (85 % aqueous solution; Rabbit; Experimental value; >1260 mg/kg bodyweight; 80 % aqueous solution; Rabbit; Experimental value; >3160 mg/kg bodyweight; 75 % aqueous solution; Rabbit; Experimental value; >3160 mg/kg bodyweight; Rabbit; Experimental value)
ATE US (oral)	1530 mg/kg bodyweight
ATE US (dermal)	2740 mg/kg bodyweight

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Citric acid (77-92-9)</b>	
LD50 oral rat	3000 mg/kg (Rat; Literature study)
LD50 dermal rat	> 2000 mg/kg bodyweight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
ATE US (oral)	3000 mg/kg bodyweight

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: ≈ 2
Serious eye damage/irritation	: Not Classified pH: ≈ 2
Respiratory or skin sensitisation	: Not Classified
Germ cell mutagenicity	: Not Classified
Carcinogenicity	: Not Classified
Reproductive toxicity	: Not Classified
Specific target organ toxicity (single exposure)	: Not Classified
Specific target organ toxicity (repeated exposure)	: Not Classified
Aspiration hazard	: Not Classified
Symptoms/injuries after skin contact	: Burns.
Symptoms/injuries after eye contact	: Serious damage to eyes.
Symptoms/injuries after ingestion	: Burns.

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology – general	: Before neutralisation, the product may represent a danger to aquatic organisms.
-------------------	---

<b>2-butoxyethanol (111-76-2)</b>	
ErC50 (algae)	911 mg/l (72 Hr.)
<b>Phosphoric acid (7664-38-2)</b>	
LC50 fish 1	138 mg/l (96 h; Pisces; Pure substance)
LC50 other aquatic organisms 1	100-1000,96 h; Protozoa; Pure substance
EC50 Daphnia 1	> 100 mg/l (48 h; Daphnia magna; Pure substance)
LC50 fish 2	100 - 1000 mg/l (Pisces; Pure substance)
LC50 other aquatic organisms 2	240 mg/l (96 h; Pure substance)
TLM fish 1	138 ppm (96 h; Gambusia affinis; Pure substance)
Threshold limit other aquatic organisms 1	100-1000,96 h; Protozoa; Pure substance
Threshold limit other aquatic organisms 2	240 mg/l (96 h; Pure substance)
Threshold limit algae 1	> 100 mg/l (72 h; Desmodesmus subspicatus; Pure substance)
Threshold limit algae 2	100 mg/l (72 h; Desmodesmus subspicatus; Pure substance)
<b>Citric acid (77-92-9)</b>	
EC50 Daphnia 1	120 mg/l (EC50; 72 h)
LC50 fish 2	1516 mg/l (LC50; 96 h)
Threshold limit algae 2	640 mg/l (EC0; 168 h)

### 12.2. Persistence and degradability

<b>2-butoxyethanol (111-76-2)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air.
Biochemical oxygen demand (BOD)	0.71 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.20 g O <sub>2</sub> /g substance
ThOD	2.305 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.31
<b>Phosphoric acid (7664-38-2)</b>	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
<b>Citric acid (77-92-9)</b>	
Persistence and degradability	Readily biodegradable in water. Biodegradable in the soil. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	0.420 g O <sub>2</sub> /g substance

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>2-butoxyethanol (111-76-2)</b>	
Chemical oxygen demand (COD)	0.728 g O <sub>2</sub> /g substance
ThOD	0.686 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.89 (20 days; Literature study)

### 12.3. Bioaccumulative potential

<b>2-butoxyethanol (111-76-2)</b>	
Log Pow	0.81 (Experimental value; BASF test; 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
<b>Phosphoric acid (7664-38-2)</b>	
Bioaccumulative potential	Not bioaccumulative.
<b>Citric acid (77-92-9)</b>	
BCF other aquatic organisms 1	3.2 (BCF; Other)
Log Pow	-1.61 / -1.80, Experimental value; Other
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

### 12.4. Mobility in soil

<b>2-butoxyethanol (111-76-2)</b>	
Surface tension	0.027 N/m (25 °C)

### 12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents/container in accordance with local/state/federal regulations.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT:

Transport document description : UN1805 Phosphoric acid solution, 8, III

UN-No.(DOT) : UN1805

Proper Shipping Name (DOT) : Phosphoric acid solution

Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136

Packing group (DOT) : III - Minor Danger

Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 203

DOT Packaging Bulk (49 CFR 173.xxx) : 241

DOT Special Provisions (49 CFR 172.102) :

- A7 - Steel packagings must be corrosion-resistant or have protection against corrosion
- IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 °C (1.1 bar at 122 °F), or 130 kPa at 55 °C (1.3 bar at 131 °F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672)
- N34 - Aluminum construction materials are not authorized for any part of a packaging which is normally in contact with the hazardous material
- T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3)
- TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling =  $97 / (1 + a \cdot (tr - tf))$  Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling

DOT Packaging Exceptions (49 CFR 173.xxx) : 154

DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 5 L

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Quantity Limitations Cargo aircraft only (49 : 60 L  
CFR 175.75)

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel

Emergency Response Guide (ERG) Number : 154

Other information : No supplementary information available.

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

1,4-dioxane	CAS No 123-91-1	< 0.1%
<b>2-butoxyethanol (111-76-2)</b>		
SARA Section 311/312 Hazard Classes	Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard	
SARA Section 313 - Emission Reporting	100 %	

#### 15.2. International regulations

##### 1,4-dioxane (123-91-1)

Listed on IARC (International Agency for Research on Cancer)  
Listed as carcinogen on NTP (National Toxicology Program)

#### 15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

<b>1,4-dioxane (123-91-1)</b>				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	Non-significant risk level (NSRL)
Yes	No	No	No	30

##### Diphenyl oxide (101-84-8)

U.S. - New Jersey - Right to Know Hazardous Substance List

##### n-Amyl acetate (628-63-7)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

##### Benzyl acetate (140-11-4)

U.S. - New Jersey - Right to Know Hazardous Substance List

##### 1,7,7-trimethylnorcamphor (76-22-2)

U.S. - New Jersey - Right to Know Hazardous Substance List

##### 2-butoxyethanol (111-76-2)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

##### 1,4-dioxane (123-91-1)

U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

##### Phosphoric acid (7664-38-2)

U.S. - Massachusetts - Right To Know List  
U.S. - New Jersey - Right to Know Hazardous Substance List  
U.S. - Pennsylvania - RTK (Right to Know) List

### SECTION 16: Other information

Revision date : 07/06/2016

# SHIMMER TUB & TILE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-statements:

Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation, Category 2B
Flam. Liq. 4	Flammable liquids, Category 4
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
H227	Combustible liquid
H290	May be corrosive to metals
H302	Harmful if swallowed
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation

SDS US (GHS HazCom 2012) - Custom

*The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.*