

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 1.0

Date of issue: 12/01/2010 Revision date: 06/29/2020 Supersedes: 05/18/2020

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : HD LIQUID LAUNDRY CONCENTRATE

Product code : HDL

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Industrial and Institutional Liquid Laundry Concentrate

1.3. Supplier

Sky Blue Industries, Inc. 760 W. Exchange Road Ogden, Utah 84401 - USA T (800) 998-2808

www.skyblueindustries.com

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Irrit. 2 Causes skin irritation
Eye Dam. 1 Causes serious eye damage
Aquatic Acute 3 Harmful to aquatic life

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes skin irritation

Causes serious eye damage Harmful to aquatic life

Precautionary statements (GHS-US) : Wash hands, forearms and face thoroughly after handling

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

If on skin: Wash with plenty of water/...

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing Immediately call a poison center/doctor/...

Specific treatment (see ... on this label)

If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse

Dispose of contents/container to ...

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

06/29/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS US classification
Dodecyl benzene sulfonic acid	(CAS-No.) 27176-87-0	3 – 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Acute 2, H401
Sodium xylenesulfonate	(CAS-No.) 1300-72-7	1 – 3	Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335
Sodium carbonate	(CAS-No.) 497-19-8	1 – 3	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Irrit. 2A, H319
Tetrasodium ethylenediaminetetraactetate	(CAS-No.) 64-02-8	0.1 – 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh

air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician

immediately

Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison First-aid measures after ingestion

center/doctor/physician if you feel unwell.

Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

Symptoms/injuries after skin contact : Causes skin irritation. Irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation. Eye irritation. Serious damage to eyes.

Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

: Do not use a heavy water stream. Unsuitable extinguishing media

Specific hazards arising from the chemical

Hazardous decomposition products in case of : Toxic fumes may be released.

Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

: Evacuate unnecessary personnel. Keep upwind. Only qualified personnel equipped with **Emergency procedures**

suitable protective equipment may intervene.

06/29/2020 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal

protection".

Emergency procedures : Ventilate area

Environmental precautions

Avoid release to the environment. See Section 12 for additional Ecological information. Notify authorities if product enters sewers or public waters.

Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. Notify authorities if product enters sewers or public waters.

Other information

: Dispose of materials or solid residues at an authorized site.

Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Store locked up. Store in a wellventilated place. Keep cool.

Incompatible products

: Strong acids. Strong bases.

: Sources of ignition. Direct sunlight. Incompatible materials

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

HD LIQUID LAUNDRY CONCENTRATE

No additional information available

Dodecyl benzene sulfonic acid (27176-87-0)

No additional information available

Sodium xylenesulfonate (1300-72-7)

No additional information available

Tetrasodium ethylenediaminetetraactetate (64-02-8)

No additional information available

Sodium carbonate (497-19-8)

No additional information available

Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

: Avoid release to the environment. Environmental exposure controls

06/29/2020 EN (English US) 3/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask. Wear respiratory protection

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Color : Blue
Odor : Fresh

Odor threshold : No data available pH : 10 – 10.5

Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 1.07 Specific gravity / density : 8.88 lb/gal Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) No data available Auto-ignition temperature : No data available : No data available Decomposition temperature : No data available Viscosity, kinematic Viscosity, dynamic : No data available : No data available **Explosion limits** : No data available Explosive properties Oxidizing properties : No data available

9.2. Other information

VOC content : 0 %

06/29/2020 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

LC50 inhalation rat (mg/l)

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

ricate textony (imiaiation)	. Not state in a		
Dodecyl benzene sulfonic acid (27	176-87-0)		
LD50 oral rat	1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))		
LD50 dermal rat	> 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s))		
LC50 inhalation rat (mg/l)	0.31 mg/l air (4 h, Rat, Male, Read-across, Inhalation (aerosol), 14 day(s))		
Sodium xylenesulfonate (1300-72-7)			
LD50 oral rat	> 7000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s))		
LD50 dermal rabbit	> 2000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Read-across, Dermal, 14 day(s))		
Tetrasodium ethylenediaminetetraactetate (64-02-8)			

LD50 oral rat	> 2000 mg/kg (Rat, Oral)		
LD50 dermal rabbit	> 5000 mg/kg		
LC50 inhalation rat (mg/l)	4.14 mg/l/4h Dust		
Sodium carbonate (497-19-8)			
Sodium carbonate (497-19-8)			
Sodium carbonate (497-19-8) LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))		

Skin corrosion/irritation : Causes skin irritation.

pH: 10 - 10.5

2300 mg/m³

Serious eye damage/irritation : Causes serious eye damage.

pH: 10 - 10.5

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Not classified

Sodium xylenesulfonate (1300-72-7)		
Specific target organ toxicity – single exposure	May cause respiratory irritation.	

06/29/2020 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified
Viscosity, kinematic : No data available

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after skin contact : Causes skin irritation. Irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation. Eye irritation. Serious damage to eyes.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment. Harmful to aquatic life.

Ecology - water : Harmful to aquatic life

Loology - Water	. Hammar to aquatio inc.		
Dodecyl benzene sulfonic acid (27176-87-0)			
LC50 fish 1	4.1 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)		
EC50 Daphnia 1	 2.5 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Nominal concentration) 65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value) 		
ErC50 (algae)			
Sodium xylenesulfonate (1300-72-7)			
LC50 fish 1	> 1000 mg/l (EPA OTS 797.1400, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value)		
EC50 Daphnia 1 > 1000 mg/l (EPA OTS 797.1300, 48 h, Daphnia magna, Static system, Fresh v Experimental value)			

Tetrasodium ethylenediaminetetraactetate (64-02-8)			
LC50 fish 1	121 mg/l (96 h, Lepomis macrochirus, Literature study, Soft water)		
EC50 Daphnia 1	625 mg/l (24 h, Daphnia magna, Literature study)		

Sodium carbonate (497-19-8)	
LC50 fish 1	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value, Locomotor effect)

12.2. Persistence and degradability

· · · · · · · · · · · · · · · · · · ·					
HD LIQUID LAUNDRY CONCENTRATE					
Persistence and degradability	Not established.				
Dodecyl benzene sulfonic acid (27176-87-0					
Persistence and degradability	Readily biodegradable in water.				
Chemical oxygen demand (COD)	2.41 g O₂/g substance				
Sodium xylenesulfonate (1300-72-7)					
Persistence and degradability	Readily biodegradable in water.				
Tetrasodium ethylenediaminetetraactetate (64-02-8)					
Persistence and degradability Not readily biodegradable in water.					
Biochemical oxygen demand (BOD)	< 0.002 g O₂/g substance				
Chemical oxygen demand (COD) 0.54 – 0.58 g O ₂ /g substance Sodium carbonate (497-19-8)					
		Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)				
ThOD Not applicable (inorganic)					

06/29/2020 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3. Bioaccumulative potential

HD LIQUID LAUNDRY CONCENTRATE			
Bioaccumulative potential	Not established.		
Dodecyl benzene sulfonic acid (27176-87-0)			
BCF fish 1	65 – 96 (OECD 305: Bioconcentration: Flow-Through Fish Test, 32 day(s), Pimephales promelas, Static system, Fresh water, Experimental value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	1.96 (Weight of evidence approach, Equivalent or similar to OECD 107, 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
Sodium xylenesulfonate (1300-72-7)			
Partition coefficient n-octanol/water (Log Pow)	-3.12 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C) Not bioaccumulative.		
Bioaccumulative potential			
Tetrasodium ethylenediaminetetraactetate (64-02-8)			
Partition coefficient n-octanol/water (Log Pow)	-2.6		
Bioaccumulative potential	Not bioaccumulative.		
Sodium carbonate (497-19-8)			
Partition coefficient n-octanol/water (Log Pow)	-6.19 (Estimated value) Not bioaccumulative.		
Bioaccumulative potential			

12.4. Mobility in soil

Dodecyl benzene sulfonic acid (27176-87-0)			
Surface tension 29.3 – 31.8 N/m (25 °C, 120 mg/l)			
Partition coefficient n-octanol/water (Log Koc)	3.96 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Calculated value)		
Ecology - soil Low potential for mobility in soil.			
Sodium xylenesulfonate (1300-72-7)			
Surface tension	71 mN/m (20 °C, 90 %, EU Method A.5: Surface tension)		
Ecology - soil	No (test)data on mobility of the substance available.		
Sodium carbonate (497-19-8) Ecology - soil Low potential for adsorption in soil.			

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to ...

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

06/29/2020 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

` , , ,		
di(tetramethylammonium)(29H,31H-phthalocyanin-	CAS-No. 12222-04-7	< 0.1%
N29,N30,N31,N32)disulfonamide disulfonate, cuprate(2-		
)complex, derivates		

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

1900 and 40 Of ICT art 372.				
Sulfuric acid		CAS-No. 7664-93-9	< 1%	
1,4-dioxane		CAS-No. 123-91-1	< 0.1%	
Sodium hydroxide (1310-73-2)				
CERCLA RQ	1000 lb			
Dodecyl benzene sulfonic acid (27176-87-0)				
CERCLA RQ	1000 lb	1000 lb		
Sulfuric acid (7664-93-9)				
CERCLA RQ	1000 lb			
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb			
SARA Section 302 Threshold Planning Quantity (TPQ) 1000 lb				
Sulfer dioxide (7446-09-5)				
RQ (Reportable quantity, section 304 of EPA's List of Lists)	500 lb			
SARA Section 302 Threshold Planning Quantity (TPQ) 500 lb				
Nonylphenol polyethylene gycol ether (12708	7-87-0)			
EPA TSCA Regulatory Flag	XU - XU - indica Rule, i.e, Partial CFR 710(C)).	ites a substance exempt from Updating of the TSCA Inver	n reporting under the Inventory Update Reporting ntory Data Base Production and Site Reports (40	
Polyethylene glocols (25322-68-3)				
EPA TSCA Regulatory Flag XU - XU - indicates a substance exempt from reporting under the Inventory Update Report Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Report CFR 710(C)).				
1,4-dioxane (123-91-1)				
Listed on EPA Hazardous Air Pollutant (HAPS)				
CERCLA RQ 100 lb				
Nonyl nonoxynol 100 (9014-93-1)				
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).			
Tetrasodium ethylenediaminetetraactetate (64-02-8)				
SARA Section 311/312 Hazard Classes Immediate (acute) health hazard				

15.2. International regulations

Sulfuric acid (7664-93-9)	
Listed as carcinogen on NTP (National Toxicology Program)	

06/29/2020 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

1,4-dioxane (123-91-1)

Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program)

15.3. US State regulations



This product can expose you to 1,4-dioxane, which is known to the State of California to cause cancer, and Sulfer dioxide, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Component	State or local regulations
Sodium hydroxide(1310-73-2)	U.S New Jersey - Right to Know Hazardous Substance List
Dodecyl benzene sulfonic acid(27176-87-0)	U.S New Jersey - Right to Know Hazardous Substance List
Sulfuric acid(7664-93-9)	U.S New Jersey - Right to Know Hazardous Substance List
Sulfer dioxide(7446-09-5)	U.S New Jersey - Right to Know Hazardous Substance List
1,4-dioxane(123-91-1)	U.S New Jersey - Right to Know Hazardous Substance List
Benzyl acetate(140-11-4)	U.S New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/29/2020 Other information : None.

Full text of H-phrases:

Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Aquatic Acute 2	Hazardous to the aquatic environment - Acute Hazard Category 2
Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Corr. 1	Skin corrosion/irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H401	Toxic to aquatic life

06/29/2020 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

06/29/2020 EN (English US) 10/10