

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Version: 1.0

Date of issue: 02/02/2004 Revision date: 06/29/2020 Supersedes: 05/14/2020

SECTION 1: Identification

1.1. Identification

Product form : Mixture
Product name : FOAMER
Product code : FOA

1.2. Recommended use and restrictions on use

Use of the substance/mixture : Motor Vehicle Foaming Brush Detergent

1.3. Supplier

Sky Blue Industries, Inc. 760 W. Exchange Road Ogden, Utah 84401 - USA T (800) 998-2808

www.skyblueindustries.com

1.4. Emergency telephone number

Emergency number : Chemtrec 1-800-424-9300

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS US classification

Skin Corr. 1 Causes severe skin burns and eye damage Skin Sens. 1 May cause an allergic skin reaction

Aquatic Acute 3 Harmful to aquatic life

Aquatic Chronic 3 Harmful to aquatic life with long lasting effects

2.2. GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes severe skin burns and eye damage

May cause an allergic skin reaction

Harmful to aquatic life

Harmful to aquatic life with long lasting effects

Precautionary statements (GHS-US)

Do not breathe dust/fume/gas/mist/vapors/spray

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash hands, forearms and face thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Avoid release to the environment

Wear protective gloves/protective clothing/eye protection/face protection

If swallowed: rinse mouth. Do NOT induce vomiting

If on skin: Wash with plenty of water/...

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing Immediately call a poison center/doctor/...

Specific treatment (see ... on this label)

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Store locked up

Dispose of contents/container to ...

2.3. Other hazards which do not result in classification

No additional information available

06/29/2020 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % | GHS US classification |
|-------------------------------|----------------------|---------|---|
| Dodecyl benzene sulfonic acid | (CAS-No.) 27176-87-0 | 10 – 20 | Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Aquatic Acute 2, H401 |
| Sodium hydroxide | (CAS-No.) 1310-73-2 | 1 – 3 | Met. Corr. 1, H290 Skin Corr. 1, H314 Aquatic Acute 3, H402 |
| butyl glycolether | (CAS-No.) 111-76-2 | 1 – 3 | Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 |
| d-Limonene | (CAS-No.) 5989-27-5 | 0.1 – 1 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Allow victim to breathe fresh

air. Allow the victim to rest.

First-aid measures after skin contact

: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. Rinse skin with water/shower. Remove/Take off

immediately all contaminated clothing. Call a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a physician

immediately.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Do not induce

vomiting. Call a physician immediately.

4.2. Most important symptoms and effects (acute and delayed)

Potential Adverse human health effects and : Based on available data, the classification criteria are not met.

symptoms

Symptoms/injuries after inhalation : May cause an allergic skin reaction.

Symptoms/injuries after skin contact : Causes skin irritation. Irritation. May cause an allergic skin reaction. Burns.

Symptoms/injuries after eye contact : Causes serious eye irritation. Eye irritation. Serious damage to eyes.

Symptoms/injuries after ingestion : Burns.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of : Toxic fumes may be released.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

06/29/2020 EN (English US) 2/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures

: Evacuate unnecessary personnel. Keep upwind. Only qualified personnel equipped with suitable protective equipment may intervene. Do not breathe dust/fume/gas/mist/vapors/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Ventilate area

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. See Section 12 for additional Ecological information. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Collect spillage.

Methods for cleaning up

: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

Notify authorities if product enters sewers or public waters.

Other information

Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Wear personal protective equipment. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Separate working clothes from town clothes. Launder separately. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources. Keep container closed when not in use. Store locked up. Store in a well-ventilated place. Keep cool.

Incompatible products

: Strong acids. Strong bases. Oxidizing agent.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| FOAMER | | |
|--|----------------------|--|
| No additional information available | | |
| Sodium hydroxide (1310-73-2) | | |
| USA - ACGIH - Occupational Exposure Limits | | |
| Local name | Sodium hydroxide | |
| ACGIH Ceiling (mg/m³) | 2 mg/m³ | |
| Remark (ACGIH) | URT, eye, & skin irr | |

06/29/2020 EN (English US) 3/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| USA - OSHA - Occupational Exposure Limits | | | |
|--|---|--|--|
| Local name | Sodium hydroxide | | |
| OSHA PEL (TWA) (mg/m³) | 2 mg/m³ | | |
| butyl glycolether (111-76-2) | | | |
| USA - ACGIH - Occupational Exposure Limits | | | |
| Local name | 2-Butoxyethanol (EGBE) | | |
| ACGIH TWA (ppm) | 20 ppm | | |
| Remark (ACGIH) | Eye & URT irr | | |
| USA - OSHA - Occupational Exposure Limits | USA - OSHA - Occupational Exposure Limits | | |
| Local name | 2-Butoxyethanol | | |
| OSHA PEL (TWA) (mg/m³) | 240 mg/m³ | | |
| OSHA PEL (TWA) (ppm) | 50 ppm | | |
| Dodecyl benzene sulfonic acid (27176-87-0) | | | |
| No additional information available | | | |
| d-Limonene (5989-27-5) | | | |
| No additional information available | | | |

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses. Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask. Wear respiratory protection

Personal protective equipment symbol(s):



Melting point

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

| 9.1. | Information on | basic physical | and chemic | cal properties |
|---------|----------------|----------------|------------|-------------------|
| Physica | al state | | : | Liquid |
| Color | | | : | Orange |
| Odor | | | : | Citrus |
| Odor th | reshold | | : | No data available |
| рН | | | : | 3.3 - 3.5 |
| pH solu | tion | | : | 1 % |
| | | | | |

06/29/2020 EN (English US) 4/11

: Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point : No data available
Boiling point : No data available

Flash point : > 212 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density 1.02 Specific gravity / density : 8.52 lb/gal Solubility : Soluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Auto-ignition temperature : No data available : No data available Decomposition temperature Viscosity, kinematic : No data available Viscosity, dynamic : No data available **Explosion limits** No data available Explosive properties : No data available Oxidizing properties : No data available

9.2. Other information

VOC content : 2.2 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

| butyl glycolether (111-76-2) | | |
|--|--|--|
| LD50 oral rat | 1746 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male, Experimental value, Oral) | |
| LD50 dermal rat | > 2000 mg/kg body weight (Rat; Experimental value; OECD 402: Acute Dermal Toxicity) | |
| LD50 dermal rabbit | 435 mg/kg body weight (Rabbit; Experimental value; OECD 402: Acute Dermal Toxicity; 435 mg/kg bodyweight; Rabbit; Weight of evidence; Equivalent or similar to OECD 402) | |
| LC50 inhalation rat (ppm) | 450-486,Rat; Weight of evidence | |
| Dodecyl benzene sulfonic acid (27176-87-0) | | |
| LD50 oral rat | 1080 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Read-across, Oral, 14 day(s)) | |
| LD50 dermal rat | > 2000 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 14 day(s)) | |

06/29/2020 EN (English US) 5/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| ording to rederal register / vol. //, ivo. oo / ivioriday, i | Maior 26, 26 12 / Tailob and Rogardione |
|--|--|
| Dodecyl benzene sulfonic acid (27176-87-0) | |
| LC50 inhalation rat (mg/l) | 0.31 mg/l air (4 h, Rat, Male, Read-across, Inhalation (aerosol), 14 day(s)) |
| d-Limonene (5989-27-5) | |
| LD50 oral rat | > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral) |
| LD50 dermal rabbit | > 5000 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal) |
| Skin corrosion/irritation | : Causes severe skin burns. |
| | pH: 3.3 – 3.5 |
| Serious eye damage/irritation | : Assumed to cause serious eye damage |
| | pH: 3.3 – 3.5 |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity – single exposure | : Not classified |
| Specific target organ toxicity – repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Viscosity, kinematic | : No data available |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/injuries after inhalation | : May cause an allergic skin reaction. |
| Symptoms/injuries after skin contact | : Causes skin irritation. Irritation. May cause an allergic skin reaction. Burns. |
| Symptoms/injuries after eye contact | : Causes serious eye irritation. Eye irritation. Serious damage to eyes. |
| Symptoms/injuries after ingestion | : Burns. |
| ECTION 12: Ecological information | |
| 2.1. Toxicity | |
| Ecology - general | : Harmful to aquatic life. Harmful to aquatic life with long lasting effects. |
| Ecology - water | : Harmful to aquatic life. Harmful to aquatic life with long lasting effects. |
| Sodium hydroxide (1310-73-2) | |
| LC50 fish 1 | 45.4 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Solution >=50%) |
| | 104 11404 0 4 4 4 4 4 4 4 4 4 4 4 4 4 4 |

| Ecology - general | Harmiui to aquatic lile. Harmiui to aquatic lile with long lasting effects. | |
|--|---|--|
| Ecology - water | : Harmful to aquatic life. Harmful to aquatic life with long lasting effects. | |
| Sodium hydroxide (1310-73-2) | | |
| LC50 fish 1 | 45.4 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Solution >=50%) | |
| EC50 Daphnia 1 | 40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Nominal concentration) | |
| butyl glycolether (111-76-2) | | |
| LC50 fish 1 | 1474 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, Nominal concentration) | |
| EC50 Daphnia 1 | 1550 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Nominal concentration) | |
| ErC50 (algae) | 911 mg/l (72 Hr.) | |
| Dodecyl benzene sulfonic acid (27176-87-0) | | |
| LC50 fish 1 | 4.1 mg/l (DIN 38412-15, 96 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration) | |
| EC50 Daphnia 1 | 2.5 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Nominal concentration) | |
| ErC50 (algae) | 65.4 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value) | |

06/29/2020 EN (English US) 6/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| d-Limonene (5989-27-5) | |
|------------------------|--|
| LC50 fish 1 | 720 μg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value) |
| EC50 Daphnia 1 | 0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, GLP) |
| ErC50 (algae) | 0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP) |

12.2. Persistence and degradability

| FOAMER | | | |
|--|---|--|--|
| Persistence and degradability | May cause long-term adverse effects in the environment. | | |
| Sodium hydroxide (1310-73-2) | | | |
| Persistence and degradability | Biodegradability: not applicable. | | |
| Chemical oxygen demand (COD) | Not applicable (inorganic) | | |
| ThOD | Not applicable (inorganic) | | |
| butyl glycolether (111-76-2) | | | |
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Photodegradation in the air. | | |
| Biochemical oxygen demand (BOD) | 0.71 g O₂/g substance | | |
| Chemical oxygen demand (COD) | 2.2 g O₂/g substance | | |
| ThOD | 2.305 g O₂/g substance | | |
| BOD (% of ThOD) | 0.31 | | |
| Dodecyl benzene sulfonic acid (27176-87-0) | | | |
| Persistence and degradability | Readily biodegradable in water. | | |
| Chemical oxygen demand (COD) | 2.41 g O₂/g substance | | |
| d-Limonene (5989-27-5) | | | |
| Persistence and degradability | Readily biodegradable in water. | | |
| ThOD | 3.29 g O₂/g substance | | |

12.3. Bioaccumulative potential

| FOAMER | | |
|---|--|--|
| Bioaccumulative potential | Not established. | |
| Sodium hydroxide (1310-73-2) | | |
| Bioaccumulative potential | Not bioaccumulative. | |
| butyl glycolether (111-76-2) | | |
| Partition coefficient n-octanol/water (Log Pow) | 0.81 (Experimental value; BASF test; 25 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| Dodecyl benzene sulfonic acid (27176-87-0) | | |
| BCF fish 1 | 65 – 96 (OECD 305: Bioconcentration: Flow-Through Fish Test, 32 day(s), Pimephales promelas, Static system, Fresh water, Experimental value, Fresh weight) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.96 (Weight of evidence approach, Equivalent or similar to OECD 107, 25 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). | |
| d-Limonene (5989-27-5) | | |
| BCF fish 1 | 864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C) | |
| Bioaccumulative potential | Not established. | |

12.4. Mobility in soil

| Sodium hydroxide (1310-73-2) | | |
|------------------------------|---|--|
| Ecology - soil | No (test)data on mobility of the substance available. | |
| butyl glycolether (111-76-2) | | |
| Surface tension | 0.027 N/m (25 °C) | |
| Ecology - soil | Low potential for adsorption in soil. | |

06/29/2020 EN (English US) 7/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Dodecyl benzene sulfonic acid (27176-87-0) | | |
|---|--|--|
| Surface tension | 29.3 – 31.8 N/m (25 °C, 120 mg/l) | |
| Partition coefficient n-octanol/water (Log Koc) | 3.96 (log Koc, OECD 106: Adsorption/Desorption Using a Batch Equilibrium Method, Calculated value) | |
| Ecology - soil | Low potential for mobility in soil. | |
| d-Limonene (5989-27-5) | | |
| Ecology - soil | Low potential for mobility in soil. | |

12.5. Other adverse effects

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local/state/federal regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not applicable

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

| Oxalic acid, dihydrate | CAS-No. 6153-56-6 | 0.1 – 1% |
|----------------------------------|-------------------|----------|
| Liquitint Royal Blue HF (L85012) | CAS-No. | < 0.1% |

Contains chemical(s) subject to TSCA 12b export notification if product is shipped outside the U.S

| Oxalic acid | CAS-No. 144-62-7 | < 0.1% |
|---|------------------|--------|
| Characteristics and the second street of Cartina 242 or Title III of the Comparison Assembly and Brooks will extend the size of CARA of | | |

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| ethylene glycol | CAS-No. 107-21-1 | < 0.1% |
|-----------------|-------------------|----------|
| Sulfuric acid | CAS-No. 7664-93-9 | 0.1 – 1% |
| 1,4-dioxane | CAS-No. 123-91-1 | < 0.1% |

| Souluili | nyuroxiue | (1310-73-2) |
|----------|-----------|-------------|
| | | |

| CERCLA RQ | 1000 lb |
|------------|---------|
| CLINCLAING | 100016 |

| Oxalic acid (144-62-7) | |
|--------------------------|--|
| EPA TSCA Regulatory Flag | T - T - indicates a substance that is the subject of a Section 4 test rule under TSCA. |

06/29/2020 EN (English US) 8/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| butyl glycolether (111-76-2) | |
|--|---|
| SARA Section 311/312 Hazard Classes | Fire hazard Immediate (acute) health hazard Delayed (chronic) health hazard |
| ethylene glycol (107-21-1) | |
| Listed on EPA Hazardous Air Pollutant (HAPS) | |
| CERCLA RQ | 5000 lb |
| Dodecyl benzene sulfonic acid (27176-87-0) | |
| CERCLA RQ | 1000 lb |
| Sulfuric acid (7664-93-9) | |
| CERCLA RQ | 1000 lb |
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 1000 lb |
| SARA Section 302 Threshold Planning Quantity (TPQ) | 1000 lb |
| Sulfer dioxide (7446-09-5) | |
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 500 lb |
| SARA Section 302 Threshold Planning Quantity (TPQ) | 500 lb |
| Nonylphenol polyethylene gycol ether (12708 | 7-87-0) |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)). |
| Polyethylene glocols (25322-68-3) | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)). |
| 1,4-dioxane (123-91-1) | |
| Listed on EPA Hazardous Air Pollutant (HAPS) | |
| CERCLA RQ | 100 lb |
| Nonyl nonoxynol 100 (9014-93-1) | |
| EPA TSCA Regulatory Flag | XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)). |

15.2. International regulations

| | Sulfuric acid (7664-93-9) | |
|---|---|--|
| Listed as carcinogen on NTP (National Toxicology Program) | | |
| | 1,4-dioxane (123-91-1) | |
| | Listed on IARC (International Agency for Research on Cancer) Listed as carcinogen on NTP (National Toxicology Program) | |

15.3. US State regulations



This product can expose you to 1,4-dioxane, which is known to the State of California to cause cancer, and ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Component | State or local regulations |
|-----------------------------|---|
| Sodium hydroxide(1310-73-2) | U.S New Jersey - Right to Know Hazardous Substance List |
| Oxalic acid(144-62-7) | U.S New Jersey - Right to Know Hazardous Substance List |

06/29/2020 EN (English US) 9/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Component | State or local regulations |
|---|---|
| butyl glycolether(111-76-2) | U.S New Jersey - Right to Know Hazardous Substance List |
| ethylene glycol(107-21-1) | U.S New Jersey - Right to Know Hazardous Substance List |
| 1,4-dioxane(123-91-1) | U.S New Jersey - Right to Know Hazardous Substance List |
| Dodecyl benzene sulfonic acid(27176-87-0) | U.S New Jersey - Right to Know Hazardous Substance List |
| Sulfuric acid(7664-93-9) | U.S New Jersey - Right to Know Hazardous Substance List |
| Sulfer dioxide(7446-09-5) | U.S New Jersey - Right to Know Hazardous Substance List |

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 06/29/2020 Other information : None.

Full text of H-phrases:

| Acute Tox. 3 (Dermal) | Acute toxicity (dermal) Category 3 |
|---------------------------|--|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhalation) Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Eye Irrit. 2B | Serious eye damage/eye irritation Category 2B |
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Flam. Liq. 4 | Flammable liquids Category 4 |
| Met. Corr. 1 | Corrosive to metals Category 1 |
| Skin Corr. 1 | Skin corrosion/irritation Category 1 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| H226 | Flammable liquid and vapor |
| H227 | Combustible liquid |
| H290 | May be corrosive to metals |
| H302 | Harmful if swallowed |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H320 | Causes eye irritation |
| H332 | Harmful if inhaled |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |

06/29/2020 EN (English US) 10/11

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US (GHS HazCom 2012)

The information provided on this document is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

06/29/2020 EN (English US) 11/11