

# SAFETY DATA SHEET

Issue Date June 2013 Revision Date June 2016 Version 2

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name ACID Magic®

Other Means of Identification

SDS # USA/SDS/I02

<u>UN/ID No.</u> UN1760

Product Code USA

**Synonyms** The User Friendly Muriatic Acid!™\*

\*ACID Magic should not be used to aid or effect any pool disinfectant product or other water modifier.

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Cleans, clarifies and etches like full strength muriatic acid.\*

**Details of the Supplier of the Safety Data Sheet** 

Supplier Address Certol International, LLC.

6120 East 58th Avenue

Commerce City, Colorado 80022

www.Certol.com

**Emergency Telephone Number** 

**Company Phone Number(s)** 

Phone: 303-799-9401 Toll-Free: 1-800-843-3343 Fax: 303-799-9408

24 Hour Emergency Telephone

INFOTRAC: 1-800-535-5053 (North America) INFOTRAC: 1-352-323-3500 (International)

USA/SDS/I02 ACID Magic Page 1 of 11 Revision Date June 2016

#### 2. HAZARDS IDENTIFICATION

#### Classification

Acute Toxicity - Oral	Category 3
Specific Target Organ Toxicity (Single Exposure)	Category 3
Corrosive to Metals	Category 1

<u>Signal Word</u> Danger.

Hazard Statements Harmful if swallowed.

May cause respiratory irritation.

May cause drowsiness or dizziness.

May be corrosive to metals.

**Appearance** Clear to Yellow Liquid.

Physical State Liquid.

Odor Mildly Pungent.



#### **Precautionary Statements-Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product. Avoid breathing dust/fumes/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Keep only in original container.

## **Precautionary Statements-Response**

**IF INHALED:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Control Center or doctor/physician.

**IF SWALLOWED:** Immediately call a Poison Control Center or doctor/physician. Rinse mouth.

Absorb spillage to prevent material damage.

#### **Precautionary Statements - Storage**

Store in a dry, well-ventilated area away from heat and direct sunlight. Do not store near alkalis, highly flammable or oxidizing substances. Store in a closed, properly labeled, acid resistant container. Product must not contact chlorine bleach or cyanide. Avoid storing below 32°F (0°C).

Keep out of reach of children and pets.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Synonyms**

The User Friendly Muriatic Acid!™\*

Chemical Name	CAS No.	Weight-%
Hydrochloric Acid	7647-01-0	**
Others	Various	***

<sup>\*\*</sup>The exact percentage of Hydrochloric Acid is being withheld as a trade secret.

#### 4. FIRST AID MEASURES

#### **First Aid Measures**

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a

physician immediately.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for 15 minutes.

Remove contact lenses if present and rinse for an additional 15 minutes.

Call a physician immediately.

**Ingestion** Rinse mouth. DO NOT induce vomiting. Drink plenty of water. Never give anything by

mouth to an unconscious person. Call a Poison Control Center or physician immediately.

**Skin Contact** Wash off immediately with plenty of water. If skin irritation persists, call a physician.

### Most Important Symptoms and Effect, both Acute and Delayed

**Symptoms** Remove to fresh air. If not breathing, give artificial respiration. Call a physician immediately.

#### Indication of any Immediate Medical Attention and Special Treatment Needed

### 5. FIRE-FIGHTING MEASURES

## **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### **Unsuitable Extinguishing Media**

Not Determined.

### **Specific Hazards Arising from the Chemical**

Contact with metals may evolve flammable hydrogen gas. The decomposition can lead to the release of toxic/corrosive gases and vapors.

#### **Hazardous Combustion Products**

Hydrogen Chloride.

<sup>\*\*\*</sup>The specific chemical identity of this composition is being withheld as a trade secret.

## 5. FIRE-FIGHTING MEASURES (continued)

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

#### **6. ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Personal Precautions**

Use personal protective equipment as required.

#### For Emergency Responders

Restrict access to spill area. Ventilate the area.

#### **Environmental Precautions**

Prevent entry into waterways, sewers, basements or confined areas. See Section 12 for additional ecological information.

### Methods and Material for Containment and Cleaning Up

#### **Methods for Containment**

Prevent further leakage or spillage if safe to do so.

#### **Methods for Cleaning Up**

Soak up with inert absorbent material. Flush residue with water. Neutralize with soda ash or other acid-neutralizing agent.

#### 7. HANDLING AND STORAGE

#### **Precautions for Safe Handling**

## **Advice on Safe Handling**

Wash face, hands, and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid breathing vapors, mist or gas. Use only in well-ventilated areas.

### Keep out of the reach of children and pets.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from direct sunlight. Keep away from heat. Store away from incompatible materials. Keep in properly labeled containers. Store in a dry, well-ventilated area away from heat and direct sunlight. Do not store near alkalis, highly flammable or oxidizing substances. Store in a closed, properly labeled, acid resistant container. Product must not contact chlorine bleach or cyanide. Avoid storing below 32°F (0°C).

### Keep out of the reach of children and pets.

## 7. HANDLING AND STORAGE (continued)

### **Packaging Materials**

Keep in original container.

#### **Incompatible Materials**

Alkalis. Strong oxidizing agents. Acetic anhydride. Oleum. Amines. Vinyl acetate. Cyanides. Chlorine bleach.

### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Hydrochloric Acid	Ceiling: 2 ppm	(vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m³	IDLH: 50 ppm Ceiling: 5 ppm
7647-01-0	Coming. 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m³	Ceiling: 7 mg/m³

### **Appropriate Engineering Controls**

### **Engineering Controls**

Apply technical measures to comply with the occupational exposure limits. Eyewash stations.

#### Individual Protection Measures, such as Personal Protective Equipment

### **Eye/Face Protection**

Wear goggles or chemical safety glasses. Face protection shield.

### **Skin and Body Protection**

Wear water-resistant gloves.

Wear appropriate clothing to prevent repeated or prolonged skin contact.

### **Respiratory Protection**

Under normal conditions, respirator is not normally required.

Use acid resistant respirator if concentration is high.

#### **General Hygiene Considerations**

Handle in accordance with good industrial hygiene and safety practices.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on Basic Physical and Chemical Properties

Physical State Liquid.

Appearance Clear to Yellow Liquid.
Color Clear to Yellow.
Odor Mildly Pungent.
Odor Threshold Not Determined.

Property Values Remarks \* Method

**pH** < 1

Melting Point / Freezing Point Not Determined.

Boiling Point / Boiling Range ~ 212°F / ~ 100°C

Flash Point No Data.

**Evaporation Rate** < 1 (Butyl acetate = 1)

Flammability (Solid/Gas) N/A - Liquid.
Upper Flammability Limit No Data.
Lower Flammability Limit No Data.

Vapor Pressure Not Determined.

 Vapor Density
 > 1
 (Air = 1)

 Specific Gravity
 1.11
 @ 68°F (20°C)

Water Solubility

Solubility in Other Solvents

Partition Coefficient
Autoignition Temperature

Decomposition Temperature

Kinematic Viscosity

Not Determined.

### 10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

**Chemical Stability** 

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions** 

Reacts with carbon steel, aluminum and copper.

**Hazardous Polymerization** 

Aldehydes & epoxides, in the presence of HCI, will cause hazardous polymerization.

**Conditions to Avoid** 

Avoid high temperatures. Incompatible materials. Avoid storing below 32°F (0°C).

**Incompatible Materials** 

Alkalis. Strong oxidizing agents. Acetic anhydride.

Oleum. Amines. Vinyl acetate. Cyanides. Chlorine bleach.

## 10. STABILITY AND REACTIVITY (continued)

#### **Hazardous Decomposition Products**

HCl gas evolved from heating; hydrogen gas evolved by reaction.

## 11. TOXICOLOGICAL INFORMATION

#### Information on Likely Routes of Exposure

#### **Product Information**

**Inhalation** Avoid breathing vapors or mists.

**Eye Contact** Avoid contact with eyes.

**Skin Contact** No effect for healthy, intact skin.

**Ingestion** Harmful if swallowed.

### **Component Information**

Chemical Name	Oral LD <sub>50</sub>	Dermal LD <sub>50</sub>	Inhalation LC <sub>50</sub>
Hydrochloric Acid 7647-01-0	700 mg/kg ( Rat )	> 5010 mg/kg ( Rabbit )	3124 ppm ( Rat ) 1 hr.

#### Information on Physical, Chemical and Toxicological Effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

# Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested.

Chemical Name	ACGIH	IARC	NTP	OSHA
Hydrochloric Acid 7647-01-0	N/A	Group 3	N/A	N/A

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

### **STOT - Single Exposure**

May cause respiratory irritation.

May cause drowsiness or dizziness.

## **Numerical Measures of Toxicity**

Not Determined.

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Hydrochloric Acid 7647-01-0	EC <sub>50</sub> Selenastum capricornnutum (Green Algae): 0.0492 mg/L/72 hr. (pH 5.3)	282: 96 hr. Gambusia affinis mg/L LC <sub>50</sub> static	None Known	LC <sub>50</sub> ; Species: Cragnon cragnon (Common shrimp, adult); Conditions; saltwater, renewal, 15° C; Concentration: 260 mg/L for 48 hr.

Persistence and Degradability

Not Determined.

Bioaccumulation

Not Determined.

Mobility

Not Determined.

**Other Adverse Effects** 

Not Determined.

### 13. DISPOSAL CONSIDERATIONS

#### **Waste Treatment Methods**

### **Disposal of Wastes**

Dispose according to all local, state and federal regulations.

#### **Contaminated Packaging**

Dispose according to all local, state and federal regulations.

### Steps to be Taken in Case Material is Released or Spilled

Deny access to the area. Ventilate the area well. Large spills or leaks should be cleaned up and controlled with an inert absorbent material. Flush surface with water and neutralize with soda ash or other acid-neutralizing agent. Prevent material from entering waterways. CERCLA reportable Quantity (RQ) is 5,000 lbs.

## 14. TRANSPORT INFORMATION

#### Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances. Quarts and gallons are shipped as Limited Quantity. Large sizes, 5 gallons or more, are shipped as class 8.

**DOT** UN/ID No UN1760

Proper

Shipping Name Corrosive Liquid, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group III

IATA UN/ID No UN1760

Proper

Shipping Name Corrosive Liquid, n.o.s. (Hydrochloric Acid)

Hazard Class 8 Packing Group III

IMDG UN/ID No UN1760

Proper

Shipping Name Corrosive Liquid, n.o.s. (Hydrochloric Acid)

Hazard Class 8
Packing Group III

**NMFC** 

NMFC 44155.4 Class 70

## 15. REGULATORY INFORMATION

#### **International Inventories**

Not Determined.

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/

European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Chemical Name	CAS No	Weight %	SARA-Threshold Values %
Hydrochloric Acid	7647-01-0	Proprietary	1

### **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable	CWA - Toxic	CWA - Priority	CWA - Hazardous
	Quantities	Pollutants	Pollutants	Substances
Hydrochloric Acid 7647-01-0	5000 lb.	N/A	N/A	х

Chemical Name	Hazardous Substances RQs	CERCLA /SARA RQ	Reportable Quantity (RQ)
Hydrochloric Acid 7647-01-0	5000 lb.	5000 lb.	RQ 5000 lb. final RQ RQ 2270 kg final RQ

### **US State Regulations**

## **U.S. State Right-to-Know Regulations**

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrochloric Acid 7647-01-0	X	x	x

## **16. OTHER INFORMATION**

**NFPA** 

Health Hazards
2
0
Instability
Special Hazards
0
Not Determined.

**HMIS** 

Health HazardsFlammabilityPhysical HazardsPersonal ProtectionNot Determined.Not Determined.Not Determined.

Issue Date June 2013

**Revision Date** June 2016

**Revision Note** 

#### **Disclaimer**

The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.

End of Safety Data Sheet